

mounting explained

All you need to know about how our Mounting works!

Your **device** will go into a customised cradle, or a **plate** can be attached to the back.



plates


devices



The **plate** needs an **adapter** to connect to the mounting **arm**.




adapters



arms

Clamps can attach to a desk, or round & square poles on your bed or chair. Quick release bases are available for easy removal from wheelchairs.




clamps


easy-off base coupler



Adjusting the arm can be done by simply bending a flexible Gooseneck arm; twisting a knob, or moving a lever. If you want to prevent easily moving the arm, an Allen Key option may be best!



This **UDS** (Universal Device Socket) can be Allen Key adjusted, or have 1 or 2 QuickShift levers for easy adjustment.



QuickPack FloorStands do not require a tool to fold them up. Twist the levers and the legs easily fold together.

The **Swivel Joint** has 3 pre-defined positions.

In Use - in front of the user
Exiting - swung to the side
Parked - swung backwards alongside the user.



This makes it easy to get in & out of the chair without removing the arm completely!



mounting - wheelchair arms

Virtual Mounting Service

We can mount almost anything, anywhere!

We offer a free, no-obligation service to create customised mounting solutions for you. Simply follow the steps below to receive a virtual image so you can get a realistic idea of what it would look like! We offer mounting solutions for almost any device, no matter where you need it to be – from your bed or wheelchair, to a desk, wall or floor. Our mounting products are robust, high quality, and more flexible than any other solutions available!

STEPS TO REQUEST YOUR VIRTUAL MOUNTING IMAGE

- Take about 5 photos of where you'd like your device mounted. Try to get different angles so we can see all the possible mounting options.
- Give us the details: tell us about the device or object you need to mount – size, weight etc. and any details you have about your wheelchair name, model number etc. and provide images of those too.
- Tell us any preferences or requirements about where the device should be positioned.
- Email your images to us, along with your name and a contact telephone number.... easy!



Comfortable positioning makes a **big** difference to the use of any device. You can be confident that our team of experts will guide and support you in your choice

Monty 2 Wheelchair Arms

The length of these poles is ideal for mounting onto smaller chairs, such as children's wheelchairs. Three Pre-defined Positions: In-use (device in front of user), Exiting (device swung to the side) or Parked (device swung backwards alongside the user). All made of Aircraft grade Aluminium

M3

See the **Pre-defined Positions** on pg 39



11.4000

Regular



11.4500

Regular QuickShift



11.4600

Large Double Clamp

Device Connection:

Device Height:

Capacity:

Weights:

Adjustability:

Dimensions:

Base:

Allen Key UDS

40 - 60cm

2.5kg

0.96kg

Allen Key

Poles 40 + 30cm

Customised to fit your chair. Plus Lever-Locked Easy Swing-Away / Remove Clamp

QuickShift UDS

40 - 60cm

2.5kg

1.18kg

QuickShift Levers

Poles 40 + 30cm

Double QuickShift UDS

50 - 90cm

2.5kg

1.32kg

QuickShift Levers

Poles 50 + 50cm

mounting - wheelchair arms

Monty 3D Wheelchair Arms



The length of these poles is ideal for mounting onto smaller chairs, such as children's wheelchairs. Three pre-defined positions: In-use (device in front of the user), Exiting (device swung to the side) or Parked (device swung backwards alongside the user).

	Regular	QuickShift
Device Connection:	Allen Key UDS	Double QuickShift UDS
Device Height:	50 - 80cm	50 - 80cm
Capacity:	3kg	3kg
Weighs:	1.7kg	1.7kg
Adjustability:	Allen Key	QuickShift Levers
Dimensions:	Poles: 20 + 50 + 40cm	Poles: 20 + 50 + 40cm

Base: Customised to fit your chair. Plus Lever-Locked Easy Swing-Away / Remove Clamp

Monty 3D Eye Control Arms




Extra strength & length, for use with an eye tracking system. 3 pre-defined positions: In-use (device in front of user), Exiting (device swung to the side) or Parked (device swung backwards alongside the user). Includes a UDS Double Clamp Device Adapter for optimum positioning.

	Regular	Heavy Duty
Device Connection:	Double QuickShift UDS	Double QuickShift UDS
Device Height:	50 - 90cm	50 - 90cm
Capacity:	3 - 5kg	6kg
Weighs:	1.8kg	2.5kg
Adjustability:	QuickShift Levers	QuickShift Levers
Dimensions:	Poles: 30 + 50 + 50cm	Double tube base (50 + 40cm) + 50 + 40cm

Base: Customised to fit your chair. Plus Lever-Locked Easy Swing-Away / Remove Clamp

Monty 3D Curved Arms



Includes a sturdy S-bend pole, useful for adding height, & width around lap trays or arm rests. Custom base connector for your wheelchair, & swing away or remove arm. Made of aircraft grade Aluminium. Includes a UDS Double Clamp Device Adapter for optimum positioning. QuickShift option for tool-free adjusting.

	Medium	Long	Extra Long
Device Connection:	Allen Key UDS or Double QuickShift UDS	Allen Key UDS or Double QuickShift UDS	Allen Key UDS or Double QuickShift UDS
Device Height:	55 - 130cm	68 - 208 cm	75 - 213 cm
Capacity:	3kg	6kg	6kg
Weighs:	1.21kg	1.47kg	1.52kg
Adjustability:	QuickShift Levers or Allen Key	QuickShift Levers or Allen Key	QuickShift Levers or Allen Key
Dimensions:	66h x 23L bend Pole 2: 40cm	76h x 30L bend Pole 2: 40cm	86h x 30L bend Pole 2: 40cm

Base: Customised to fit your chair - specifications required

mounting - floorstands

FloorStand Pentlock



	Eco	Telescopic
Device Height:	84 - 159 cm	74 - 210cm
Capacity:	5kg	5kg
Weighs:	23kg	24kg
Adjustability:	Allen Key Levers	QuickShift Levers Telescopic Pole
Dimensions:	130h x 65w x 65L, Poles 40 + 30cm	105 - 175h Poles 40 + 30cm
Base:	5 Lock Wheel casters, 65cm diameter	

FloorStand Mini



	Gooseneck	Heavy Duty
Device Height:	71 - 136cm	71 - 136cm or 176cm with Add-on pole
Capacity:	1.5kg	2kg
Weighs:	6kg	6kg
Adjustability:	QuickShift Levers & Gooseneck	QuickShift Levers & L3D Poles
Dimensions:	106h + Reach 30cm	106h + Reach 30cm or Add-on 40cm pole
Base:	50 x 50cm Rolling Plate	50 x 50cm Rolling Plate

FloorStand Laptop Tray

This tray attaches to the EcoLock, TeleLock or VarioLock Floorstands on pg 43 and provides a place to hold your laptop, notes or alternative access devices.

If using an additional monitor with your laptop, this is a convenient way to keep the laptop near to the monitor and provides easy portability for both.

Dimensions: 43 x 32cm



17.2001

The double poles on the base give this arm extra strength & security. It also prevents unwanted bouncing of the device.



mounting - floorstands

FloorStand Lock Arms

M3



Quick Pack
Optional*

See
pg 39

17.1055

EcoLock

17.1050
17.1052 QP

TeleLock*

17.1061
17.1063 QP

VarioLock*

Device Connection:

Double QuickShift UDS

Double QuickShift UDS

Double QuickShift UDS

Device Height:

55 - 130cm

68 - 208 cm

75 - 213 cm

Capacity:

10kg

2 - 6 kg

10kg

Weights:

6.5kg

7.5kg

8.5kg

Adjustability:

QuickShift Levers

QuickShift Levers
Telescopic Pole

QuickShift Levers
Telescopic Pole

Dimensions:

95h x 77w x 79L
Poles 40 + 30cm

103-173h x 77w x 79L,
Poles 40 + 30cm

110-180h x W
79-130w x 79L

Base:

Wheel casters

Wheel casters

Wheel casters & Flexi Width

Telescopic poles are gas spring assisted. QuickPack version* & Carry Bag available for easy travel.

FloorStand Float Arms

M3



Quick Pack
Optional*

See
pg 39

17.1070

EcoFloat

17.1073
17.1074 QP

TeleFloat*

17.1065
17.1066 QP

VarioFloat*

Device Connection:

Double QuickShift UDS

Double QuickShift UDS

Double QuickShift UDS

Device Height:

85 - 120cm

98 - 206 cm

98 - 206 cm

Capacity:

5kg

6 kg

5kg

Weights:

8.2kg

9.4kg

9kg

Adjustability:

Easy Swing Arm

Easy Swing Arm
Telescopic Pole

Easy Swing Arm
Telescopic Pole

Dimensions:

103h x 79w x 79L
Reach 67cm

113-183h x 79-130w x 79L,
Reach 67cm

113-183h x 79-130w x 79L,
Reach 67cm

Base:

Wheel casters

Wheel casters & Flexi Width

Wheel casters & Flexi Width

mounting - multi purpose

Bed Mount



14.8053

14.8002 UDS
14.8003 SLS

L3D

M3

Use for

Switches, iPads, Light-Medium Communication Devices, Tablets

Reach

Up to 60cm

Weight Capacity

Light 3D SLS 1.5kg
or Heavy Duty version 2kg

Material

Aluminium &/ Gooseneck Brass

Adjustability

3 Pivot points & Flex arm
Device height 10-78cm

Dimensions

Base 30 x 30cm

Base Connection

Secured by mattress

Device Connection

Light 3D SLS or UDS Adapters

Table Clamp



M3

12.1700

iPads, Large Communication Devices, Tablet, Monitor, Laptop

Upright to 30cm

5kg

Aircraft grade brushed Aluminium

2 Pivot Points, QuickShift levers
Tilt, Pan, Rotate, Diagonal

As above

Super Clamp for poles or
surfaces 1- 5.5cm thick

UDS DC Adapters

One Hand Clamp



M3

12.1730 & 12.1740 HD

iPads, Large Communication Devices, Tablet, Monitor, Laptop

Up to 57cm
Height 0 - 42cm

2 - 6kg or Heavy Duty
version 6 -13kg

Aluminium

3 Pivot Points, 90° vertically and
360° horizontally

As above

Super Clamp for poles or
surfaces 1- 5.5cm thick

UDS DC Adapters

ClampOnMount



M3

12.1760

iPads, Large Communication Devices, Tablet, Monitor, Laptop

Vertical Up to 75cm,
Horizontal up to 67cm

5kg

Aircraft grade brushed Aluminium

3 Pivot Points, QuickShift levers
Tilt, Pan, Rotate, Diagonal

As above

Super Clamp for poles or surfaces
1- 5.5cm thick

UDS DC Adapters

Table Stand / UC



M3

12.1653

12.1650

iPads, Large Communication Devices, Tablet, Monitor, Laptop

Height 1 - 25cm / 18cm

2.5kg

Aircraft grade brushed Aluminium

3 Pivot Points, QuickShift levers
Tilt, Pan, Rotate, Diagonal

As above

Stands on Table or Floor

UDS DC Adapters

Table Stand XL / Go



M3

12.1602

12.1652

iPads, Large Communication Devices, Tablet, Monitor, Laptop

Height 5 - 50cm

7.5kg

Aircraft grade brushed Aluminium

3 Pivot Points, QuickShift levers
Tilt, Pan, Rotate, Diagonal

As above

Stands on Table or Floor

UDS DC Adapters

mounting - multi purpose

Magic Arm

MA



15.1000

Switches, iPads, Light-Medium Communication Devices, Tablets

Up to 52cm

2.3kg

Aluminium

3 Pivot Points, levers at each Turn knob to secure all

As above

Super Clamp for poles or surfaces 1- 5.5cm thick

MagicArm Adapters

Latitude Arm

LAT



10043000

Switches, iPads, Light-Medium Communication Devices, Tablets

Up to 51cm

3.2kg

Aluminium

3 Pivot Points, levers at each Telescoping Poles

As above

Super Clamp for poles or surfaces 1- 5.5cm thick

Universal Mounting Plate

Hover Arm

HO



Switch not included
70000087

Switches, iPads, Light-Medium Communication Devices, Tablets

Up to 61cm

2.3kg

Ultra-light carbon fibre, 60% lighter than Aluminium

3 Pivot Points, levers at each

As above

Super Clamp for poles or surfaces 1- 5.5cm thick

Universal Mounting Plate

Switch Mounting Kit

Includes
Switch
Plates!



14.5552

Switches not included

Switches & Light Communication Devices

Up to 40cm

0.5kg

Aluminium

3 Pivot Points, levers at each

As above

Mini Pole Clamp 1.3 - 3.5cm

Includes 3 plates for most popular switch sizes: Buddy Button, Big Mac, Jelly Bean etc.

Lightweight Arm



Switch not included

Switches

Up to 54cm

0.5kg

Aluminium

3 Pivot Points, locks at each

As above

Super Clamp for poles or surfaces 1- 5.5cm thick

Universal Mounting Plate

Light 3D Mini Arm

L3D



14.5052

Switches & Light Communication Devices

Up to 40cm

0.5kg

Aluminium

3 Pivot Points, levers at each

As above

Mini Pole Clamp 1.3 - 3.5cm

Light 3D/SLS Adapters

Use for

Reach

Weight
Capacity

Material

Adjustability

Dimensions

Base
Connection

Device
Connection

Use for

Reach

Weight
Capacity

Material

Adjustability

Dimensions

Base
Connection

Device
Connection

mounting - multi purpose

Gooseneck 50

G50



Switches, Light Communication Devices

Up to 50cm

0.5kg

Brass

Flexible Bending Arm

As above

Super Clamp for poles or surfaces 1- 5.5cm thick

Universal Mounting Plate

Gooseneck 35

G35

L3D

M3



Switches, iPads, Light-Medium Communication Devices, Tablets

Up to 35cm

1kg

Brass

Flexible Bending Arm


As above

Super Clamp for poles or surfaces 1- 5.5cm thick

Light 3D SLS or UDS Versions

Wheelchair Headrest

L3D



14.1000
1 Switch

14.2000
2 Switch

14.1050
1 Switch

14.2050
2 Switch

1 or 2 Switch Versions

Up to 30cm each

1.5kg

Aluminium

2 Pivot Points, Allen Key or QuickShift Tool Free Versions

As above

Customised to fit your headrest pole dimensions

Light 3D SLS

Car Headrest

M3



14.1070

Lightweight tablet or iPad

10 -12cm

1.25kg

Aluminium

1 Pivot Point, QuickShift Lever & Quick Release Plate

As above

Car Headrest Pole Clamps

UDS Plate

Light 3D Mounting Arms

L3D

M3



14.4153

14.4002

14.3001

Switches & Light - Medium Communication Devices, Tablets, iPads. *Please specify all options below

1 Tube: 30cm or 2 Tube: 30 + 25cm or 3 Tube Wheelchair Clamp: 30 + 30 + 25cm or 3 Tube Table Clamp: 30 + 20 + 25cm

1.25kg

Aluminium

2 - 3 Pivot Points, depending on number of tubes. Allen Key or QuickShift Tool Free Versions

As above

Super Clamp for poles or surfaces 1- 5.5cm thick or Customised Wheelchair base to fit your chair

Light 3D SLS or UDS Plate Versions

Use for

Reach

Weight Capacity

Material

Adjustability

Dimensions

Base Connection

Device Connection

Use for

Reach

Weight Capacity

Material

Adjustability

Dimensions

Base Connection

Device Connection

mounting - multi purpose

Flexzi 3 for iPad



Use for

iPad 2, 3, 4 **or** Air **or** Air 2 **or** Mini
*Please specify all options

Reach

Clamp base: 45cm **or**
Stand Base 25cm

Weight
Capacity

1kg (iPad in Case)

Material

Plastic Arm, EVA Foam Case in
Black, Green or Pink

Adjustability

Bendy Arm

Dimensions

Subject to iPad Model

Base
Connection

Super Clamp for poles or surfaces
1- 5.5cm thick **or** Stand Base

Device
Connection

Velcro Connection to iPad Case

Flexzi 1 Arms



Switches or Light-Medium
Communication Devices

Small: 15cm **or** Medium:
30cm **or** Large 45cm

The more upright, the more it can
hold. S: 2.5 - 3.2kg; M: 0.8 - 0.95kg;
L: 0.4 - 0.7kg

Plastic

Bendy Arm

As above

Super Clamp for poles or
surfaces 1- 5.5cm thick

Velcro **or** Universal Mounting
Plate Compatible version

Mini Clamp



L3D

14.1174

01.1008

Switches, Light Communication
Devices

0 - 5cm

0.5kg

Aluminium

QuickShift Levers

As above

Small Tube Clamp for poles
1.3 - 3.5cm thick

Threaded Switch Plate **or**
Light 3D SLS Switch Adapters

Switch Suction Mount



Switch not included
80000081

Use for

Switches, Light Communication
Devices

Reach

15cm

Weight
Capacity

0.9kg

Material

Plastic

Adjustability

2 Pivot Points

Dimensions

As above

Base
Connection

2 Suction Cups stick to most
smooth, clean surfaces

Device
Connection

Includes a Universal
Mounting Plate

Neo Flex Arm



iPads, Large Communication
Devices, Tablet, Monitor, Laptop

Horizontal up to 49cm,
Height up to 20cm

8.2kg

Plastic & Metal Combination

3 Pivot Points
Tilt, Pan, Rotate

Weight: 3 kg; 45 x 35 x 12cm

Desk Clamp up to 4.6cm deep, or
Grommet for drilled hole 5.1cm
wide and 4.4 deep
VESA 100 / 75

Laptop/ Monitor Arm



Monitors with 75 x 75 or 100 x 100
VESA holes or 11- 15.6" Laptops

Height 5 - 50cm

1.5 - 4kg

Aircraft grade Aluminium

Tilt, Swivel, Pan, Rotate, 85°
upward and downward tilt, and
360° rotation. Gas spring loaded

Desk Clamp 2-10cm deep, or
Grommet for drilled hole up to
7cm wide, 9cm deep
VESA for Monitors, Tray for
Laptops

mounting - plates & cradles

Adjustable iPad Cradle

This adjustable cradle holds your iPad or 10" tablet in its protective case, and attaches it to our Light 3D or Monty 3D Arms. Maximum width of device and case: 20.47cm; Length range of device and case: 21.59cm to 26.03cm; Maximum depth of device and case: 2.79cm. iPad Mini version also available.



16.1180 10"

16.1195 7"

L3D

M3

Suction Mount & Adjustable Cradle

Table top Suction Mounts provide a quick and secure way to mount your iPad / 10" tablet, without removing it from its protective case. Dual suction cups adhere firmly to most clean, flat, smooth surfaces. The mount holds your device in either portrait or landscape orientation and provides access to all controls and jacks. For iPad Air, Air 2, Pro 9.7" or 4 in a protective case.



70000080

Suction Cradle for iPads

Table top Suction Mounts provide a quick and secure way to mount your iPad wherever you are. Dual suction cups adhere firmly to most clean, flat, smooth surfaces. The mount holds your device in either portrait or landscape orientation and provides access to all controls and jacks.

Two versions: For iPad Air, Air 2 or for iPad 4, 3, 2, 1. Maximum weight capacity 0.9kg



700400804 & 70000102

Cradle for iPad 4, 3, 2, 1

This secure cradle for the iPad 1, 2, 3 or 4 is compatible with our Latitude, Gooseneck 50, MagicArm and Hover Arms.

It includes a Universal Mounting Plate for attaching the cradle to an arm. It provides access to all of the device controls and jacks. iDevice and mounting arm sold separately.



700400904

LAT

HO

G50

MA

Cradle for iPad 2, 3, 4, Air 2, Pro 9.7"

These cradles connect to our Light 3D, Gooseneck 35 or Monty Arms. Providing full access to all ports, your device will be secure and easy to position for optimum reach and visibility. available.



14.1500, 14.1545, 16.1133, 16.1171, 15.1024-30

G35

L3D

M3

MA

Cradle for iPad Pro 12.9"

This cradle allows you to attach your iPad Pro 12.9" to our Light 3D or Monty Arms. Providing full access to all ports, your device will be secure and easy to position for optimum reach and visibility. Made of sleek, brushed or black aluminium, the arms are attractive and robust - perfect for protecting your valuable device.



16.1188

L3D

M3

iAdapter Plate

This plate attaches to your iAdapter and connects it to our Light 3D or Monty arms for easy access and optimal visibility.



16.1141

14.1503

L3D

M3

Tablet Holder Fit 10" / 11" / 12"

With a smart matt design, and screw closures, your tablet is safe from tampering or removal from the cradle. With a range of spacers included, you can customise the fit for most 10.75 - 12" tablets, including in a protective case. The soft felt interior of the cradle protects your tablet from scratches. Use with Light 3D, Monty Arms, VESA or AMPS connections.



MA

L3D

M3

mounting - plates & cradles

Lightwriter SL40 Plate



These plates attach securely to your Lightwriter, for mounting onto our Light 3D arms, suitable for people with a lighter touch, or for people with stronger movements who require a more sturdy mount, our Monty arms can also be used.

L3D M3

Beamz Plate



This cradle securely holds your Beamz music device and attaches it to our Universal Device Socket, for use with the Monty Arms. Makes playing music even more accessible for people with poor fine motor control. Read about Beams on pg 127.

M3


AMPS to MagicArm Plate



This adapter connects our Tablet Holder Fit 10 / 11/ 12 or any 3rd party tablet cradle with AMPS specification mounting holes, to the MagicArm. The Tablet Holder and MagicArm are available separately. L3D version also available.

MA

Universal Eye Tracker Plate



The adjustable mount for all eye control cameras. Attached as an add-on to your tablet cradle, it keeps the Eye Gaze camera safely at an adjustable spot underneath the tablet or notebook. A lockable hinge allows you to set the tracker at the right angle. Fastening materials for the various eye trackers are included. Secured to tablet using AMPS layout screws, VHB tape or industrial velcro.

16.1193

UDS to VESA Adapter



VESA is an industry standard 4 hole mounting system. Screws securely onto your monitor or device's standard 75 x 75 or 100 x 100 threaded insert holes, and then allows it to be connected to our Universal Device Socket for use with a mounting arm. Includes an allen key and allows you to use third party arms if they use VESA configuration mounting.

16.1010

UDS to AMPS Adapter




This adapter connects your UDS mounting plate to an AMPS mounting solution. AMPS is an industry standard 4 hole mounting system. It is compatible with our UDS cradles and mounting arms.

16.1169

L3D M3

Notebook Plates



A laptop is securely fastened into place using the unique tightening strap system which secures each corner over the front of the laptop keys. The screen is unaffected and can be opened or closed. Straps can be adjusted to fit most laptops between 10 - 14" or 15 - 17" with the larger option.

M3

UDS to VESA Plates



VESA is an industry standard 4 hole mounting system. This plate screws securely onto your monitor or device's threaded mounting insert holes, and then allows it to be connected to our Universal Device Socket for use with a mounting arm. 75 x 75mm or 100 x 100mm options available.

16.1123

L3D M3

SuperClamp Adapters



Provides an economical 2-in-1 solution, allowing you to use the same poles from your Light 3D or Monty wheelchair mount, in order to also have a table clamp when you need it. With Quick Shift levers, mounts onto boards or poles 10 - 55mm thick. 16mm or 22mm connector options.

L3D M3

Universal Plates

These plates attach any light to medium weight devices to our Light 3D, Gooseneck 35, or Monty Arms. Permanent fixation via strong adhesive VHB (very high bond) tape, or self-adhesive industrial velcro options available.



For Monty M3 Arms

116x135mm Velcro / Tape
265 x 140 Tape
300 x 160 Tape

For Light 3D or Gooseneck 35

110 x 50 Velcro
116 x 135 Velcro / Tape

G35 L3D M3

Surface Pro 4 Cradle



Securely holds your Surface Pro 4 and attaches it to our Monty Arms with a UDS connection.

M3

mounting - plates & cradles

Universal Mounting Plate



Can be used with almost all small medium communication devices and switches, to connect to our Gooseneck 50, MagicArm, Latitude or Hover Arms. Please enquire to be sure it is compatible with your device / switch.

LAT HO G50 MA

Micro Light Switch Plate



Connects the Micro Light Switch to our Gooseneck 50, MagicArm, Latitude & Hover Arms.

LAT HO G50 MA

Jelly Bean Twist Switch Plate



Connects the Jelly Bean or similar small switch to our Gooseneck 35, MagicArm or Light 3D Arms.

G35 L3D MA

Buddy Button Switch Plate



Connects a small switch, such as a Buddy Button, Big Buddy Button, Specs or Candy Corn Switch to our Gooseneck 35, MagicArm or Light 3D Arms.

G35 L3D MA

Big Red Switch Plate



Connects a large switch such as the Big Red Twist, BIGmack, BIG Step-by-Step and similar to our Gooseneck 35, MagicArm or Light 3D Arms.

G35 L3D MA

Ribbon Switch Plate



Connects the Ribbon Switch to our Gooseneck 50, MagicArm, Latitude or Hover Arms.

LAT HO G50 MA

Pneumatic Switch Plate



Connects the Pneumatic Switch to our Gooseneck 50, MagicArm, Latitude or Hover Arms.

LAT HO G50 MA


Mini Joystick Switch Plate



Connects the Mini Joystick Switch to our Gooseneck 50, MagicArm, Latitude or Hover Arms.

LAT HO G50 MA

GoTalk 4, 9, 20 Plate



This plate is secured to your GoTalk device using either industrial self-adhesive velcro, or permanent VHB (very high bond) tape. The plate connects onto our Gooseneck 35, MagicArm or Light 3D Arms. Dimensions +/-: 170x150mm.

G35 L3D MA


GoTalk 32+/ Express 32 Cradle



This cradle securely holds your GoTalk 32 or GoTalk Express 32 and attaches it to our MagicArm for easy access and positioning.

MA


SuperTalker Cradle



This cradle securely holds your SuperTalker and attaches it to our MagicArm. A heavy duty option with screw fixations is available, or an option with Velcro connection for easy removal.

MA

Communication Book Cradle



This plastic clipboard attaches to our Monty mounting arms to position a communication chart or boo for a low tech backup when the communication device is unavailable.


The Bookstand is ideal for use with PODD books or multi-page low tech systems. Compatible with UDS mounting plates.

M3

mounting - multi purpose

Bamboo Mounting

The most flexible way to mount your iPad, phone or tablet - at home, in the car, at work...




Step 1: What do you want to mount? Select the right cradle for your device!

Cradles to fit iPad 2, 3, 4, Air, Air 2, Air 2 or Air Mini in an Otterbox Defender Case, and 5", 7" or 11" tablets & phones



See the
Otterbox Defender
Case on pg 14

Step 2: How would you like to position it? Decide the length of arm you need!



Step 3: Where will it be attached? Decide which base clamp you need!



Tube Mount Base
Clamps onto round or oval tubes 1,5 - 4 cm diameter



SuperClamp Base
Clamps onto round or oval tubes, as well as flat surfaces up to 5,5cm diameter / thick

Reach: Dependent on length of pole chosen
Weight Capacity: 680g or Gooseneck 450g
Material: Aircraft Grade Aluminium
Adjustability: QuickShift Levers 360° Rotation
 Height, Tilt, Diagonal, Pan, Rotate
Base Connection: Tube Clamp or Super Clamp
Device Connection: Bamboo QuickFit Connection and Cradle of your choice